

**Biology Department
Publications
2005**

Agarwal, R., Binz, T., and **Swaminathan, S.** Analysis of active site residues of botulinum neurotoxin E by mutational, functional and structural studies: Glu335Gln is an apoenzyme. *Biochemistry* 44(23): 8291-8302 (June, 2005).

Agarwal, R., Binz, T., and **Swaminathan, S.** Structural analysis of botulinum neurotoxin serotype F light chain: Implications on substrate binding and inhibitor design. *Biochemistry* 44(35): 11758-11765 (September, 2005).

Anderson, C. W. and Appella, E. Posttranslational modifications of p53: Upstream signaling pathways. *Protein Reviews: The p53 Tumor Suppressor Pathway and Cancer*, G. P. Zambetti, Editor, Vol. 2, Chapter 5, Springer Science+Business Media, New York, NY (2005).

Anderson, C. W., Paxton, R., Fox, J. W., and Appella, E. News from the Protein Society: Meeting Report. 15th Methods in Protein Structural Analysis Conference (MPSA2004), University of Washington, Seattle, WA, August 29-September 2, 2004. *Protein Science* 14: 272-275 (January, 2005).

Appella, E. and **Anderson, C. W.** Identifying protein interactions: Computational approaches. Minireview Series. *FEBS Journal* 272: 5099-5100 (October, 2005).

Auperin, T. C., Bolduc, G. R., Baron, M. J., **Heroux, A.**, Filman, D. J., Madoff, L. C., and Hogle, J. M. Crystal structure of the N-terminal domain of the group B *Streptococcus* alpha C protein. *Journal of Biological Chemistry* 280: 18245-18252 (May, 2005).

Bai, T., **Becker, M.**, Gupta, A., Strike, P., Murphy, V. J., Anders, R. F., and Batchelor, A. H. Structure of AMA1 from *Plasmodium falciparum* reveals a clustering of polymorphisms that surround a conserved hydrophobic pocket. *Proceedings of the National Academy of Sciences USA* 102(36): 12736-12741 (September, 2005).

Bajpayee, N. S., McGrath, W. J., and **Mangel, W. F.** Interaction of the adenovirus proteinase with protein cofactors with high negative cofactors with high negative charge densities. *Biochemistry* 44(24): 8721-8729 (June, 2005).

Becker, M., Bunikis, J., Lade, B. D., **Dunn, J. J.**, Barbour, A. G., and Lawson, C. L. Structural investigation of *Borrelia burgdorferi* OspB, a bactericidal Fab target. *Journal of Biological Chemistry* 280(17): 17363-17370 (April, 2005).

Bennett, P. V., Cuomo, N. L., Paul, S., **Tafrov, S. T.**, and **Sutherland, B. M.** Endogenous DNA damage clusters in human skin, 3-D model, and cultured skin cells. Free Radical Biology & Medicine 39(6): 832-839 (September, 2005).

Bitto, E., Bingman, C. A., **Robinson, H.**, Allard, S. T. M., Wesenberg, G. E., and Phillips, Jr., G. N. The structure at 2.5 Å resolution of human basophilic leukemia-expressed protein BLES03. Acta Crystallographica Section F: Structural Biology and Crystallization Communications F61: 812-817 (September, 2005).

Bonanno, J. B., Almo, S. C., Bresnick, A., Chance, M. R., Fiser, A., **Swaminathan, S.**, **Jiang, J.**, **Studier, F. W.**, Shapiro, L., Lima, C. D., Gaasterland, T. M., Sali, A., Bain, K., Feil, I., Gao, X., Lorimer, D., Ramos, A., Sauder, J. M., Wasserman, S. R., Emtage, S., D'Amico, K. L., and Burley, S. K. New York-Structural GenomiX Research Consortium (NYSGXRC): A large scale center for the protein structure initiative. Journal of Structural Functional Genomics 6(2-3): 225-232 (September, 2005).

Budowle, B., Schutzer, S. E., Ascher, M. S., Atlas, R. M., Burans, J. P., Chakraborty, R., **Dunn, J. J.**, Fraser, C. M., Franz, D. R., Leighton, T. J., Morse, S. A., Murch, R. S., Ravel, J., Rock, D. L., Slezak, T. R., Velsko, S. P., Walsh, A. C., and Walters, R. A. Toward a system of microbial forensics: From sample collection to interpretation of evidence. Meeting Review. Applied and Environmental Microbiology 71(5): 2209-2213 (May, 2005).

Burr, B., Project Coordinator for “International Rice Genome Sequencing Project.” The map-based sequence of the rice genome. Nature 436: 793-800 (August, 2005).

Chen, P., Greenberg, B., **Taghavi, S.**, Romano, C., **van der Lelie, D.**, and He, C. An exceptionally selective lead(II)-regulatory protein from *Ralstonia metallidurans*: Development of a fluorescent lead(II) probe. Angewandte Chemie, International Edition 44: 2-6 (March, 2005).

Darwin, K. H., Lin, G., Chen, Z., **Li, H.**, and Nathan, C. F. Characterization of a *Mycobacterium tuberculosis* proteasomal ATPase homologue. Molecular Microbiology 55(2): 561-571 (January, 2005). Cover: The molecular architecture of the putative proteasomal ATPase Mpa from *Mycobacterium tuberculosis* as visualized by electron microscopy and single particle image analysis. The ring is a hexamer of Mpa molecules.

Davison, P. A., Schubert, H. L., Reid, J. D., Iorg, C. D., **Heroux, A.**, Hill, C. P., and Hunter, C. N. Structural and biochemical characterization of Gun4 suggests a mechanism for its role in chlorophyll biosynthesis. Biochemistry 44(21): 7603-7612 (May, 2005).

Davydov, R., Behrouzian, B., Smoukov, S., Stubbe, J., Hoffman, B. M., and **Shanklin, J.** Effect of substrate on the diiron(III) site in stearoyl acyl carrier protein Δ⁹-desaturase as disclosed by cryoreduction electron paramagnetic resonance/electron nuclear double resonance spectroscopy. Biochemistry 44(4): 1309-1315 (February, 2005).

Diaz-Avalos, R., King, C.-Y., **Wall, J.**, Simon, M., and Caspar, D. L. D. Strain-specific morphologies of yeast prion amyloid fibrils. *Proceedings of the National Academy of Sciences USA* 102(29): 10165-10170 (July, 2005).

Dilmanian, F. A., Qu, Y., Liu, S., Cool, C. D., Gilbert, J., **Hainfeld, J. F.**, Kruse, C. A., Laterra, J. S., Lenihan, D., Nawrocky, M. M., Pappas, G., Sze, C.-I., Yuasa, T., Zhong, N., Zhong, Z., and McDonald, J. W. X-ray microbeams: Tumor therapy and central nervous system research. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment* 548: 30-37 (August, 2005).

Forster, A., Masters, E. I., Whitby, F. G., **Robinson, H.**, and Hill, C. P. The 1.9 Å structure of proteasome-11S activator complex and implications for proteasome-PAN/PA700 interactions. *Molecular Cell* 18: 589-599 (May, 2005).

Geets, J., Borremans, B., Vangronsveld, J., Diels, L., and **van der Lelie, D.** Molecular monitoring of SRB community structure and dynamics in batch experiments to examine the applicability of *in situ* precipitation of heavy metals for groundwater remediation. *Journal of Soils and Sediments* 5(3): 149-163 (August, 2005).

Geets, J., Vanbrockhoven, K., Borremans, B., Vangronsveld, J., Diels, L., and **van der Lelie, D.** Column experiments to assess the effects of electron donors on the efficiency of *in situ* precipitation of Zn, Cd, Co and Ni in contaminated groundwater applying the biological sulfate removal technology. *Environmental Science and Pollution Research (Online First)* 1-17 (August, 2005).

Gupta, S., **Mangel, W. F.**, Sullivan, M., Takamoto, K., and Chance, M. R. Mapping a functional viral protein in solution using synchrotron X-ray footprinting technology. *Synchrotron Radiation News* 18(1): 25-34 (January/February, 2005). Cover: Synchrotron Protein Footprinting: the study of protein structure and dynamics in solution using synchrotron X-ray radiolysis. The intense X-ray from the synchrotron radiation generates hydroxyl radicals, which react with the surface accessible side chains of the adenovirus proteinase seen in space-fill mode (on the left). Proteinase digestion followed by chromatography and mass spectroscopy is used to identify the extent and sites of oxidation. The binding of cofactors, pVlc and DNA to the protein protects specific residues from attach. Using this data, a model of DNA binding to AVP is developed that provides a molecular mechanism for cofactors dependent activation (on the right). (See article on page 25.)

Hainfeld, J. F. and Powell, R. D. Gold cluster labels and related technologies in molecular morphology. *Advances in Pathology, Microscopy & Molecular Morphology Series: Molecular Morphology in Human Tissues: Techniques and Applications*, Vol. 2, G. W. Hacker and R. R. Tubbs, Editors, Chapter 4, pp. 81-100, CRC Press, Boca Raton, FL (2005).

Han, Q., Gao, Y. G., **Robinson, H.**, Ding, H., Wilson, S., and Li, J. Crystal structures of *Aedes aegypti* kynurenine aminotransferase. FEBS Journal 272(9): 2198-2206 (May, 2005).

Hidema, J., Teranishi, M., Iwamatsu, Y., Hirouchi, T., Ueda, T., Sato, T., **Burr, B.**, **Sutherland, B. M.**, Yamamoto, K., and Kumagai, T. Spontaneously occurring mutations in the cyclobutane pyrimidine dimer photolyase gene cause different sensitivities to ultraviolet-B in rice. The Plant Journal 43(1): 57-67 (July, 2005).

Jacobs, J. M., Yang, X., Luft, B. J., **Dunn, J. J.**, Camp II, D. G., and Smith, R. D. Proteomic analysis of Lyme disease: Global protein comparison of three strains of *Borrelia burgdorferi*. Proteomics 5(5): 1446-1453 (April, 2005).

Jayaraman, S., **Eswaramoorthy, S.**, Ahmed, S. A., Smith, L. A., and **Swaminathan, S.** N-terminal helix reorients in recombinant C-fragment of *Clostridium botulinum* type B. Biochemical Biophysical Research Communication 330(1): 97-103 (April, 2005).

Jayaraman, S., **Eswaramoorthy, S.**, **Kumaran, D.**, and **Swaminathan, S.** Common binding site for disialyllactose and tri-peptide in C-fragment of tetanus neurotoxin. Proteins: Structure, Function, and Bioinformatics 61(2): 288-295 (November, 2005).

Koide, S., Yang, X., Huang, X., **Dunn, J. J.**, and Luft, B. J. Structure-based design of a second-generation Lyme disease vaccine based on a C-terminal fragment of *Borrelia burgdorferi* OspA. Journal of Molecular Biology 350: 290-299 (May, 2005).

Ksiezak-Reding, H. and **Wall, J. S.** Characterization of paired helical filaments by scanning transmission electron microscopy. Microscopy Research and Technique 67(3-4): 126-140 (August, 2005).

Kumaran, D., **Eswaramoorthy, S.**, **Studier, F. W.**, and **Swaminathan, S.** Structure and mechanism of ADP-ribose-1"-monophosphatase (Appr-1"-pase), a ubiquitous cellular processing enzyme. Protein Science 14(3): 719-726 (March, 2005). Cover: Interactions between Appr-1"-pase and its catalytic product ADP-ribose in the product-bound state. Bonds of protein residues are shown in cyan; ADP-ribose and ethylene glycol are shown in gray. Carbon, Oxygen, Nitrogen, and phosphorus atoms are shown in green, red, blue, and purple, respectively. The purple dashed lines indicate the hydrogen bonding. (See Kumaran et al., pp. 719-726)

Liu, W., Crocker, E., Zhang, W., Elliott, J. I., Luy, B., **Li, H.**, Aimoto, S., and Smith, S. O. Structural role of glycine in amyloid fibrils formed from transmembrane α -helices. Biochemistry 44: 3591-3597 (March, 2005).

Loftin, I. R., Franke, S., Roberts, S. A., Weichsel, A., **Heroux, A.**, Montfort, W. R., Rensing, C., McEvoy, M. M. A novel copper-binding fold for the periplasmic copper resistance protein CusF. Biochemistry 44: 10533-10540 (August, 2005).

Mayer, K. M. and **Shanklin, J.** A structural model of the plant acyl-acyl carrier protein thioesterase FatB comprised of two helix/4-stranded sheet domains: the N-terminal domain containing residues that affect specificity and the C-terminal domain containing catalytic residues. *Journal of Biological Chemistry* 280(5): 3621-3627 (February, 2005).

Papamichail, D., Skiena, S. S., **van der Lelie, D.**, and McCorkle, S. R. Bacterial population assay via *k*-mer analysis (Extended Abstract). *Series on Advances in Bioinformatics and Computational Biology, Vol. 1: Proceedings of the 3rd Asia-Pacific Bioinformatics Conference*, January 17-21, 2005, Institute for Infocomm Research, Singapore, Y.-P. P. Chen and L. Wong, Editors, pp. 299-308, Imperial College Press, London, U.K. (2005).

Rao, K. N., **Kumaran, D.**, Binz, T., and **Swaminathan, S.** Structural analysis of the catalytic domain of tetanus neurotoxin. *Toxicon* 45: 929-939 (June, 2005).

Safo, M. K., Zhao, Q., Ko, T.-P., Musayev, F. N., **Robinson, H.**, Scarsdale, N., Wang, A. H.-J., and Archer, G. L. Crystal structures of the BlaI repressor from *Staphylococcus aureus* and its complex with DNA: Insights into transcriptional regulation of the *bla* and *mec* operons. *Journal of Bacteriology* 187(5): 1833-1844 (March, 2005).

Setlow, R. B. Historical Perspective: My early days in photobiology with Philip Hanawalt. *Mutation Research: Fundamental and Molecular Mechanisms of Mutagenesis* 577: 4-8 (September, 2005).

Shimada, A., Shima, A., Nojima, K., Seino, Y., and **Setlow, R. B.** Germ cell mutagenesis in medaka fish after exposures to high-energy cosmic ray nuclei: A human model. *Proceedings of the National Academy of Sciences USA* 102(17): 6063-6067 (April, 2005).

Studier, F. W. Protein production by auto-induction in high-density shaking cultures. *Protein Expression and Purification* 41(1): 207-234 (May, 2005).

Thanassi, D. G., Stathopoulos, C., Karkal, A., and **Li, H.** Protein secretion in the absence of ATP: the autotransporter, two-partner secretion and chaperone/usher pathways of Gram-negative bacteria (Review). *Molecular Membrane Biology* 22(1-2): 63-72 (January-April, 2005).

Tubbs, R. R., Pettay, J., Skacel, M., Downs-Kelly, E., Powell, R. D., Hicks, D. G., and **Hainfeld, J. F.** Gold- and silver-facilitated metallographic *in situ* hybridization procedures for detection of HER2 gene amplification. *Advances in Pathology, Microscopy & Molecular Morphology Series: Molecular Morphology in Human Tissues: Techniques and Applications*, Vol. 2, G. W. Hacker and R. R. Tubbs, Editors, Chapter 5, pp. 101-106, CRC Press, Boca Raton, FL (2005).

van der Lelie, D., Barac, T., **Taghavi, S.**, and Vangronsveld, J. Response to Newman: New uses of endophytic bacteria to improve phytoremediation. Trends in Biotechnology 23(1): 8-9 (January, 2005).

Wang, H., Liu, Y., Chen, Y., **Robinson, H.**, and Ke, H. Multiple elements jointly determine inhibitor selectivity of cyclic nucleotide phosphodiesterases 4 and 7. Journal of Biological Chemistry 280(35): 30949-30955 (September, 2005).

Wei, Y. and **Fu, D.** Selective metal binding to a membrane-embedded aspartate in the *Escherichia coli* metal transporter YiiP (FieF). Journal of Biological Chemistry 280(40): 33716-33724 (October, 2005).

Whittle, E., Cahoon, E. B., Subrahmanyam, S., and **Shanklin, J.** A multifunctional acyl-acyl carrier protein desaturase from *Hedera helix* L. (English ivy) can synthesize 16- and 18-carbon monoene and diene products. Journal of Biological Chemistry 280(31): 28169-28176 (August, 2005).

Yamaguchi, H., Minopoli, G., Demidov, O. N., Chatterjee, D. K., **Anderson, C. W.**, Durell, S. R., and Appella, E. Substrate specificity of the human protein phosphatase 2C δ , Wip1. Biochemistry 44(14): 5285-5294 (April, 2005).